



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Physical	Transformer oil	Appearance	Visual- QMTL-SOP-24 Issue#01 dated 19-3-2016, Rev01 dated 20/08/2018 / ASTM E 2680-01(2014), ASTM D 4176-04(2014)	P1
Physical and Chemical	Transformer oil	Colour L0.5 to D 8.0	ASTM D1500-12(2017)	P1
		Breakdown Voltage 0 Kv-100Kv	ASTM D1816-12(2019)/ASTM D877/ D877M-19/ IEC 60156-2018	
		Moisture Content 1ppm to 2.5 %	IEC 60814-1997-08/ ASTM D 1533-20	
		Dissipation Factor@ 90°C 0.00001onwards	IEC 60247-2004-02	
		Resistivity @90°C 0.00001 onwards	IEC 60247-2004-02	
		Power Factor @ 100°C 0.0001% onwards	ASTM D924-15	
		Acid Number 0.005 onwards	ASTM D974/14 e2	
		Flash Point	ASTM D92-18	
		Density 0.1000 kg/L onwards	ASTM D4052-18a/ ASTM D1298- 12b(2017)	
Dissolved gas Analysis (DGA)	ASTM D3612C-02 (2017)			



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		0ppm onwards		
		Pour Point Up to -80°C	ASTM D97-17b	
		Total Sulphur 1ppm onwards	ASTM D4294-21	
		Corrosive Sulphur	ASTM D1275-15	
		Potentially corrosive Sulphur	IEC 62535-2008-10	
		Furans 10 ppb onwards	IEC 61198-1993-03, ASTM D5837-15 Method A	
Physical	Diesel	Appearance	Visual QMTL-SOP-24 Issue#01 dated 19-3-2016, Rev 01 dated 20/08/2018 / ASTM E 2680-01(2014), ASTM D 4176-04(2014)	P1
Physical and Chemical	Diesel	Colour	ASTM D1500-12(2017)	P1
		Density/Specific Gravity 0.1000 kg/L onwards	ASTM D1298/12b(2017) ASTM D4052-18a	
		Kinematic Viscosity@40°C 1cSt onwards	ASTM D445-21e1	
		Water Content 0.05% onwards	ASTM D95-13(2018)	
		BS & Water 0.000%onwards	ASTM D2709-16	
		Acid Number 0.005 mg KOH /g onwards	ASTM D974-14e2	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Strong Acid Number	ASTM D974-14e2	
		Flash Point 25°C onwards	ASTM D93-20 Procedure A	
		Total Sulphur 1ppm onwards	ASTM D4294-21	
		Ash Content 0.001% onwards	ASTM D482-19	
		Distillation 1°C onwards	ASTM D86-20b	
		CCR 0.001%onwards	ASTM D189-06(2019)	
		Cetane Index	ASTM D 4737-21	
		Calorific Value (Gross & net)	ASTM D 4868-17	
		Pour Point Up to -80 °C	ASTM D97-17b	
		Cloud Point Up to -80 °C	ASTM D2500-17a	
		Physical and Chemical	Asphalt	
Ductility @ 25°C	ASTM D 113-17			
Penetration @ 25°C	ASTM D 5/D5M-20			
Softening Point	ASTM D 36-14e1			
Specific Gravity @ 60/60°F	ASTM D 70/D70M-21			
Density @ 15°C	ASTM D 70/ D70M-21			



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Solubility in Trichloroethylene	ASTM D 2042-15	
		Kinematic Viscosity @ 135°C, 145°C, 155°C & 165°C	ASTM D 2170/ D 2170M-18	
		Mixing & Compaction Temperature	ASTM D 2493/D 2493M-16	
		Test on residue after RTFOT@163°C-Loss on heating	ASTM D 2872-21	
		Test on residue after RTFOT@163°C Retained penetration as % of original	ASTM D 5/D5M-20	
		Test on residue after RTFOT@163°C- Ductility of residue @ 25°C	ASTM D 113-17	
Physical and Chemical	Foam	Density@25°C	ASTM D 1298-12b	P1
		Kinematic Viscosity@25°C	ASTM D 445-21e1	
		Sediment	Internal QMTL-SOP- 235 Issue 02 dated 06-02-2020, Rev 03 dated 11/08/2022	
		pH on neat Sample @ 20°C	Internal QMTL- SOP- 234 Issue 02 dated 06-02-2020, Rev 03 dated 11/08/2022	
		Concentration	NFPA 11, MSC.1 Circ 1312 (Conductivitymethod)	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical	Water/ Wastewater	pH@ 25 °C 1-14	APHA 4500 H+B, 23 rd edition, 2017	P1
		Oil & Grease 3ppm onwards	APHA 5520B, 23 rd edition, 2017	
Chemical	Water/ Wastewater	Total Dissolved Solids From 3mg/l onwards	APHA 2540C, 23 rd edition, 2017	P1
		Total Suspended Solids From 3mg/l onwards	APHA 2540 D, 23 rd edition, 2017	
		Total Solids & Volatile Solids From 3mg/l onwards	APHA 2540G, 23 rd edition, 2017	
		BOD From 3mg/l onwards	APHA 5210D, 23 rd edition, 2017	
		COD From 2mg/l onwards	APHA 5220 D, 23 rd edition, 2017	
		Conductivity@25 °C 0.05µs/cm onwards	APHA 2510B, 23 rd edition, 2017	
		Odor	APHA 2150 A, 23 rd edition, 2017	
		Colour 1cobalt unit onwards	APHA 2120B, 23 rd edition, 2017	
	Turbidity Range: 0.1unit onwards	APHA 2130B, 23 rd edition, 2017		



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical	Water/ Wastewater	Chloride Range: 0.1mg/l onwards	APHA 4500 Cl B, 23 rd edition, 2017	P1
		Calcium 2mg/l onwards	APHA 3500Ca B, 23 rd edition, 2017	
		Magnesium 2mg/l onwards	APHA 3500Mg B, 23 rd edition, 2017	
		Total Hardness (as CaCO ₃) 2mg/l onwards	APHA 2340C, 23 rd edition, 2017	
		Calcium Hardness 2mg/l onwards	APHA 2340 B&C, 23 rd edition, 2017	
		Total Alkalinity 2mg/l onwards	APHA 2320B, 23 rd edition, 2017	
		Carbonates & Bicarbonates 2mg/l onwards	APHA 2320B, 23 rd edition, 2017	
		Free Chlorine 0.01mg/l onwards	APHA 4500 Cl, 23 rd edition, 2017	
		Cadmium 0.003 mg/l onwards	APHA 3120 B, 23 rd edition, 2017	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical	Water/ Waste water	Chromium 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	P1
		Cobalt 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Copper 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Iron 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Lead 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Manganese 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Nickel 0.01mg/l onward	APHA 3120 B, 23 rd edition, 2017	
		Silver 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Zinc 0.01mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Calcium 0.05mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Magnesium 0.05mg/l onwards	APHA 3120 B, 23 rd edition, 2017	
		Sodium 0.1mg/l onwards	APHA 3120 B, 23 rd edition, 2017	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Physical	Clean water	Taste	Organoleptic QMTL-SOP-23 Rev 02 20.08.2018 / APHA 2160A, 23 rd edition, 2017	P1
Biological	Water/Waste water (Including Clean water, Potable, drinking water, Chilled water, Groundwater, Swimming pool and marine water)	Total Bacterial Count Heterotrophic plate count 1cfu onwards	APHA 9215D, 23 rd edition, 2017	P1
		Enumeration of Total Coliforms 1 cfu onwards	APHA 9222B, 23 rd edition, 2017	
		Enumeration of Fecal Streptococci 1cfu onwards	APHA 9230C, 23 rd edition, 2017	
		Enumeration of Fecal Coliforms 1cfu onwards	APHA 9222D, 23 rd edition, 2017	
		Enumeration of Pseudomonas aeruginosa 1 cfu onwards	APHA 9213E, 23 rd edition, 2017	
		Heterotrophic plate count 1 cfu onwards	APHA 9215B, 23 rd edition, 2017	
		Enumeration of E. coli 1 cfu onwards	APHA 9222 H& I, 23 rd edition, 2017	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Biological	Water/Waste water (Including Clean water, Potable, drinking water, Chilled water, Groundwater, Swimming pool and marine water)	Enumeration of Legionella 1cfu onwards	ISO 11731:2017 Matrix A Procedure 5, 7 Matrix B Procedure 8,9,10 Matrix C Procedure 1,14	P1
Biological	Water	Detection of Salmonella	ISO 6579-1:2017 Part 1, QMTL-SOP-289 - Issue# 01, Issue Date: 31.03.2022	P1
	Raw, Treated and Partially treated Wastewater	Detection of Campylobacter species	Internal Method QMTL - SOP-220 Issue# 01, 12-05-2019, Rev00	
		Helminth Ova	Internal Method QMTL – SOP - 123, Issue# 02, 16-01-2018, Rev#01, 04-02-2020	
Biological	Food (Cereals, Pulses, dairy, Ready to eat foods, Baked Products, Meat, Fish, Spices, Canned vegetables, Juices)	Total Plate Count 1cfu onwards	CMMEF Chapter 8, 5th Edition, 2015	P1
		Enumeration of Yeasts & Moulds 1cfu onwards	CMMEF Chapter 21 5th Edition, 2015	P1
		Detection of Campylobacter Species	Internal Method QMTL-SOP-220, Issue 01, Issue date: 12-05-2019, Rev 00	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Enumeration of Enterobacteriaceae 1cfu onwards	ISO 21528-2:2017	P1
		Enumeration of Coliforms 1cfu onwards	ISO 4832:2006	P1
		Enumeration of β Glucorinidase positive E.coli 1cfu onwards	ISO 16649-2:2001	
		Detection of E. Coli O157:H7	AOAC 2000.14, 21st Edition, 2019	
		Enumeration of Staphylococcus aureus 1cfu onwards	ISO 6888-1:2021	
		Detection of Salmonella	ISO 6579-1:2017 Part 1	
Biological	Food (Cereals, Pulses, dairy, Ready to eat foods, Baked Products, Meat, Fish, Spices, Canned vegetables, Juices)	Detection of Vibrio parahaemolyticus	ISO 21872-1:2017 Part 1	P1
		Enumeration of presumptive Bacillus Cereus 1 cfu onwards	BAM Chapter 14, October 2020	
		Enumeration of Listeria monocytogenes 1cfu onwards	ISO 11290-2:2017 Part 2	
		Enumeration of Clostridium perfringens 1cfu onwards	ISO 7937:2004	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Biological	Swab	Standard Plate Count (Total Viable Count)	CMMEF Chapter 8, 5th Edition, 2015	P1
		Enumeration of Yeasts & Moulds	CMMEF Chapter 21 5th Edition, 2015	
		Enumeration of Coliforms: Colony count technique	ISO 4832:2006	
		Enumeration of Enterobacteriaceae: Colony count technique	ISO 21528-2:2017	
		Enumeration of Staphylococcus aureus	ISO 688-1:2021	
		Enumeration of β Glucoronidase positive E.coli	ISO 16649-2:2001	
Chemical	Food- Cereals, Pulses, Ready to eat food, Baked products, Meat, Fish, Spices, Canned Vegetables, Juices	Moisture 0.01 % onwards	Internal method QMTL-SOP-202 –Rev 01 dated 20/08/2018 based on AOAC methods Online edition- 21 st edition, 2019	P1
		Ash 0.01 % onwards	Internal method QMTL-SOP-203 –Rev 01 dated 20/08/2018 based on AOAC methods Online edition- 21 st edition, 2019	
		Fat 0.01 % onwards	Internal method QMTL-SOP-204-Rev 01 dated 20.08.2018 based on AOAC methods Online edition- 21 st edition, 2019	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Protein 0.01 % onwards	Internal method QMTL-SOP-205 –Rev 01 dated 20.08.2018 based on AOAC methods Online edition- 21 st edition, 2019 (Manual method)	
Chemical	Food- Cereals, Pulses, Ready to eat food, Baked products, Meat, Fish, Spices, Canned Vegetables, Juices	Carbohydrates 0.01 % onwards	Internal method QMTL-SOP-201 Rev 01 dated 20.08.2018 based on AOAC methods, Online edition- 21 st edition, 2019- Calculation	P1
		Energy	Internal method QMTL-SOP-33 Rev 02 dated 20.08.2018 based on AOAC methods(Online edition- 21 st edition, 2019) (Calculation)	
Environmental	Indoor Air Quality	TSP, PM1, 2.5,4,7,10 1µg/Nm3 onwards	BS EN 481:1993 Internal Method QMTL-SOP-147 Rev 01 dated 20.08.2018	S
		Ammonia -NH3 0-100ppm	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
Environmental	Indoor Air Quality	Nitrogen dioxide-NO ₂ 0.01ppm onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	S



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Sulphur Dioxide SO ₂ - 0.01ppm onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
		Total Volatile Organic compound 0-10000 ppm	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
		Carbon Dioxide CO ₂ 0.01ppm onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
		Carbon Monoxide CO 0-1000 ppm onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
		Hydrogen Sulphide H ₂ S 0.01ppmonwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
Environmental	Indoor Air Quality	Oxygen-O ₂ 0-25% onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	S
		Ozone-O ₃ 0-1 ppm onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Wet bulb Temperature 1°C onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
		Formaldehyde 1ppb onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
		Temperature Range:1°C onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	
Environmental	Indoor Air Quality	Relative Humidity Range:1%onwards	BS EN 60079-29-2:2015, Internal Method QMTL SOP-146 Rev 01 dated 20.08.2018	S
Microbial	Indoor Air Quality	Air borne contamination - Total Bacterial Count 1cfu onwards	ISO 14698-1:2003, ISO 14698- 2:2003, CMMEF Chapter 8, 5th Edition, 2015,QMTL-SOP-112 Issue no:1, Issue date:20-03-2017, Rev:03, Rev date:02- 03-2022	S & P1
		Air Borne Contamination - Yeasts and Moulds 1cfu onwards	ISO 14698-1:2003, ISO 14698- 2:2003, CMMEF Chapter 21 5th Edition, 2015 QMTL-SOP-112 Issue no:1, Issue date:20-03-2017, Rev:03, Rev date:02- 03-2022	
		Total Bacterial Count 1cfu onwards	CMMEF Chapter 8 5th Edition, 2015, QMTL-SOP-112 Issue no:1, Issue	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
			date:20-03-2017, Rev:03, Rev date:02-03-2022	
		Yeasts and Moulds 1cfu onwards	CMMEF Chapter 21 5th Edition, 2015, QMTL-SOP-112 Issue no:1, Issue date:20-03-2017, Rev:03, Rev date:02-03-2022	
Environmental	Indoor Air Quality	Temperature 1°Conwards	ISO 7726:1998	S
		Relative Humidity 1%onwards	ISO 7726:1998	
		Occupational Noise level 30-130dB onwards	ISO 1996-2:2017	
		Illuminance 0-400000 Lux	BS EN 12464-1:2011	
Environmental	Outdoor Air Quality	Nitrogen dioxide-NO2	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	S
		Sulphur Dioxide- SO2	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	
		NOx	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	
		Hydrogen Sulphide- H2S	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	
		Carbon Monoxide- CO	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	
		Carbon dioxide- CO2	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		NO	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	
		VOCs	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	
		Ozone -O3	BSEN 60079- Part 29-2 Internal method QMTL-SOP-224	
		TSPM, RSPM, PM10 5µg/M3 onwards	BS EN 12341:2014	
		PM 2.5 5µg/M3 onwards	BS EN 12341:2014 Internal Method QMTL-SOP-149 Rev 01 dated 20.08.2018	
		Ammonia-NH ₃ 0-100ppm	BS EN 60079-29-2:2015, Internal Method QMTL-SOP-150 Rev 01 dated 20.08.2018	
Environmental	Outdoor Air Quality	Nitrogen dioxide-NO ₂ 5µg/m ³	BS EN 60079-29-2:2015, Internal Method QMTL-SOP-151 Rev 01 dated 20.08.2018	S
		Sulphur Dioxide-SO ₂ 5µg/m ³	BS EN 60079-29-2:2015, Internal Method QMTL-SOP-152 Rev 01 dated 20.08.2018	
		Ozone-O ₃ 0-1ppm	BS EN 60079-29-2:2015, Internal Method QMTL-SOP-153 Rev 01 dated 20.08.2018	
		Wind speed	Internal Method QMTL-SOP-155 Rev 03 dated 02/06/2019 based on EPA-454/R-99-005:2000	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Wind Direction	Internal Method QMTL-SOP-155 Rev 03 dated 02/06/2019 based on EPA-454/R-99-005:2000	
Environmental	Outdoor Air Quality	Precipitation	Internal Method QMTL-SOP-155 Rev 03 dated 02/06/2019 based on EPA-454/R-99-005:2000	
		Relative Humidity 10% onwards	Internal Method QMTL-SOP-155 Rev 03 dated 02/06/2019 based on EPA-454/R-99-005:2000	
		Temperature 10°C onwards	Internal Method QMTL-SOP-155 Rev 03 dated 02/06/2019 based on EPA-454/R-99-005:2000	
		Solar Radiation Sensor	Internal Method QMTL-SOP-155 Rev 03 dated 02/06/2019 based on EPA-454/R-99-005:2000	
		Noise Monitoring 30-130 dB	ISO 1996-2:2017	
Environmental	Clean Room Validation	Airflow velocity 1-80 m/s	ISO 14644-1:2015, ISO 14644-2:2015, ISO 14644-3: 2005	S
		Differential pressure test - Containment leak/Air pressure difference measurement 0-5000Pa	ISO 14644-1:2015, ISO 14644- 2:2015, ISO 14644-3:2005	
		Filter Integrity -Installed filter Leakage	ISO 14644-1:2015, ISO 14644- 2:2015, ISO 14644-3:2005	
		Airflow direction and visualization	ISO 14644-1:2015, ISO 14644-2:2015, ISO 14644-3:2005	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Airborne particle count for classification and test measurement 0.5-100±10%µm	ISO 14644-1:2015, ISO 14644-2:2015, ISO 14644-3:2005	
		Air Volume	ISO 14644-1:2015, ISO 14644-2:2015, ISO 14644-3:2005	
Environmental	Clean Room Validation	Temperature 1°C onwards	ISO 7726:1998	S
		Relative Humidity 1% onwards	ISO 7726: 1998	
		Occupational Noise level 30-130dB onwards	ISO 1996-2:2017	
		Illuminance 0-400000Lux	BS EN 12464-1:2011	
		Air borne contamination - Total Bacterial Count 1cfu onwards	ISO 14698-1:2003, ISO 14698- 2:2003, CMMEF Chapter 8, 5th Edition, 2015, QMTL-SOP-112 Issue no:1, Issue date:20-03-2017, Rev:03, Rev date:02- 03-2022	S & P1
Air Borne Contamination - Yeasts and Moulds 1cfu onwards	ISO 14698-1:2003, ISO 14698- 2:2003, CMMEF Chapter 21 5th Edition, 2015, QMTL-SOP-112 Issue no:1, Issue			



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
			date:20-03-2017, Rev:03, Rev date:02-03-2022	
Environmental	Stack emission monitoring	Temperature (Ambient) Upto 600 K	US EPA Method 2:2017	S
		Temperature(Stack) Upto 999.9°C	US EPA Method 2:2017	
		Stack Gas Velocity 0-99.9m/s	US EPA Method 2:2017	
		Volumetric Flow rate	US EPA Method 2:2017	
		Moisture 0.1%onwards	US EPA Method 4:2017	S
		Particulate Mater 5ug per m3	US EPA Method 17:2017	
		Oxygen 0-25%	US EPA CTM 30:1997, US EPA CTM 34:1999	
		Carbon Dioxide 0-20%	US EPA CTM 30:1997, US EPA CTM 34:1999	
Environmental	Stack emission monitoring	Carbon Monoxide 0-15%	US EPA CTM 30:1997, US EPA CTM 34:1999	S
		Sulphur dioxide 0-4000ppm	QMTL-SOP-214 Rev 00 date:05/03/2019	
		NOx 0-5000ppm	US EPA CTM 30:1997, US EPA CTM 34:1999	



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
		Nitrogen Dioxide 0-1000ppm	US EPA CTM 30:1997, US EPA CTM 34:1999	
		TVOC 0-200PPM	US EPA Method 25B:2017	
		Hydrocarbons 0-3%	QMTL-SOP-214 Rev 00 date:05/03/2019	
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	pH	APHA 4500 H+B 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Conductivity	APAH 2510 B 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Total Suspended Solids (TSS) @ 103° C - 105° C	APHA 2540 D 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Total Dissolved Solids (TDS) @ 180°C	APHA 2540 C 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Phosphorous	APHA 4500 P C 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Alkalinity	APHA 2320 B 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Ammonia	APHA 4500 NH3-F 23rd Edition	P2



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Biological Oxygen Demand (BOD)	APHA 5210 B 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Oil & Grease	APHA 5520 B 23rd Edition	P2
Chemical Testing	Waste water/ Treated Water/ Raw sewage water	Chemical Oxygen Demand (COD)	APHA 5520 D 23rd Edition	P2
	BioSolids	Arsenic (As)	QMTL-SOP-287 Issue 01, Issue date: 15-02-2022, Rev 02, Rev date: 10-06-2022	P1
		Cadmium (Cd)		
		Chromium (Cr)		
		Copper (Cu)		
		Lead (Pb)		
		Mercury (Hg)		
		Molybdenum (Mo)		
		Nickel (Ni)		
		Selenium (Se)		
Zinc (Zn)				



Accreditation Scope

Qualitas Material Testing Laboratories (NAL 079) Testing Laboratory, (ISO/IEC 17025:2017)

Musaffah, Abu Dhabi, UAE

Issue Date: 07-12-2022

Expiry Date: 04-04-2024

Issue No: 07

Laboratory locations:

P1: M-15, Plot No;21, Block C, Stores 5, 7 & 8, Musaffah, Abu Dhabi, UAE.

P2: Site Lab - WWTP (wastewater treatment plant) – Mirfa, UAE

Testing Field	Materials/ Products tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical Testing	Water/Wastewater	Aluminum (Al)	APHA 3120 B 23 rd Edition 2017	P1
		Arsenic (As)	APHA 3114 23 rd Edition 2017	
		Beryllium (Be)	APHA 3120 B 23 rd Edition 2017	
		Fluoride (F)	Method 8029 USEPA SPADNS Method1	
Chemical Testing	Water/Wastewater	Lithium (Li)	APHA 3120 B 23 rd Edition 2017	P1
		Mercury (Hg)	APHA 3112B 23 rd Edition 2017	
		Molybdenum (Mo)	APHA 3120 B 23 rd Edition 2017	
		Selenium (Se)	APHA 3114 23 rd Edition 2017	
		Vanadium (V)	APHA 3120 B 23 rd Edition 2017	
		Sodium Adsorption Ratio (SAR)	QMTL-SOP-275, Issue 01, Issue date: 25-09-2021, Rev 00	P1
		Boron (B)	APHA 3120 B 23 rd Edition 2017	
		Dissolved Oxygen	APHA 4500-O H 23 rd Edition 2017	
END				